

Formula: Wite-Out® Water Based Correction Fluid

MSDS/T203797

Page: 1 of 3

May 25, 2001

### MATERIAL SAFETY DATA SHEET

**Manufacturer**

Wite-Out Products, Inc.  
145 Southchase Blvd.  
Fountain Inn, SC 29644

**MSDS Preparer:**

SGS U.S. Testing Company, Inc.\*  
Fairfield, NJ 07004  
Tel: (201) 575-5252

Date: May 25, 2001

Supersedes: October 21, 1998

Page 1 of 3

Emergency Telephone No.  
800-424-9300 (CHEMTREC)  
Information Telephone No.  
(203) 783-2103

\*Specific Technical information  
provided by manufacturer

### I. PRODUCT INFORMATION

Identity : Wite-Out® Water Based Correction Fluid  
Chemical Name : Not Available (N/A)  
Chemical Family : N/A  
CAS Registry Number : N/A  
DOT Shipping Name : N/A  
DOT Hazard Class : N/A

<u>Component(s)</u>	<u>CASRN</u>	<u>%</u>	<u>OSHA PEL</u>	<u>Hazard Information</u> <u>ACGIH TLV</u>	<u>OTHERS</u>
Ethylene Glycol	107-21-1	1-10	N/A	N/A	Ceiling OSHA/ACGIH 100 mg/m <sup>3</sup>

### III. PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point, °F : 212  
Vapor Pressure (mm Hg) : 26.8 at 77°F (estimated)  
Vapor Density (Air = 1) : N/A  
Solubility in Water : 0.37 gm per 100 mL  
Appearance and Odor : Free flowing liquid with ammoniacal odor  
Specific Gravity, (H<sub>2</sub>O = 1) : Correction fluid 1.64  
Freezing Point : 23°F  
Evaporation Rate (Butyl Acetate = 1) : 0.22

### IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) : >230°F (Closed Cup)  
Flammability Limits in Air, LEL : N/A  
UEL : N/A  
Extinguishing Media for Fires : CO<sub>2</sub>, Foam, Dry Chemical

Formula: Wite-Out® Water Based Correction Fluid

MSDS/T203797

Page: 2 of 3

May 25, 2001

#### IV. FIRE AND EXPLOSION HAZARD DATA (CONT.)

---

Special Fire Fighting Procedures : Wear self-contained breathing apparatus.  
Unusual Fire and Explosion Hazards : None known.

#### V. REACTIVITY DATA

---

Stability : [ ] Unstable [X] Stable  
Conditions to Avoid : Heat source, sparks or flame.  
Materials to Avoid : None known.  
Hazardous Decomposition Products : None known.  
Hazardous Polymerization Products : [ ] May Occur [X] May Not Occur

#### VI. HEALTH HAZARD DATA

---

Carcinogen or Potential Carcinogen

NTP:  
N/A

IARC:  
N/A

OSHA:  
N/A

Health Hazard (Acute or Chronic)

Skin : Not anticipated to be a primary skin irritant per the FHSA.  
Eyes : Not anticipated to be an eye irritant per the FHSA.  
Human Ingestion Hazard : Not known.  
Inhalation : Not anticipated to be hazardous under normal use conditions.  
Effect of Over Exposure : None known.  
Medical Conditions Generally  
Aggravated by Exposure : Existing dermal condition.

#### Emergency and First Aid Procedures

---

Skin : Wash with soap and water. Consult physician if irritation occurs and persists.  
Eyes : Wash with water. Consult physician if irritation occurs.  
Ingestion : Consult physician at once.  
Inhalation : Consult physician at once.

#### VII. PRECAUTIONS FOR SAFE HANDLING AND USE

---

Spill or Leak Procedures : Clean with absorbent material and dispose of properly. Ventilate area.  
Disposal Recommendations : Dispose in accordance with local, state, and federal regulations.  
Storage and Handling Recommendations : Store and transport in closed container. Store in ventilated area. Avoid heat, fire and fumes.  
Other Precautions : Keep away from children.

### VIII. CONTROL MEASURES

---

Respiratory Protection	:	None necessary under normal conditions.
Ventilation	:	[ ] Local [X] Mechanical [ ] Special [ ] Other
Protective Gloves	:	Chemical resistant gloves when handling bulk.
Eye Protection	:	Not required except when handling bulk.
Other Protection Equipment or Clothing	:	None required.
Work Hygiene Practice	:	Standard good industrial hygiene practice recommended.

### IX. REGULATORY INFORMATION

---

California Proposition 65	:	This product complies with the labeling requirement of the California Safe Drinking Water and Toxic Enforcement Act of 1986.
TSCA	:	All components in this product are listed on the TSCA inventory or are exempted from TSCA.
Others	:	This product does not contain chemical shown to deplete the ozone layers.

Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, (references to Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, including its divisions, affiliates, and subsidiaries), Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.

