#### MATERIAL SAFETY DATA SHEET

Section 1: Froduct & Company Identification

Product Name:

Ace Hardware Electronic Duster

Product Number (s): 09870

Manufactured By:

CRC Industries, Inc.

(215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC

(800) 424-9300

Section 2: Composition/Information on Ingredients

Component

CAS

ACGIH

OSHA

OTHER

%

1.1.1.2-Tetrafluoroethane

NUMBER 811-97-2

TLV NE

PEL NE

LIMITS 100 ppm

100

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Clear, colorless liquified gas with a faint ethereal odor.

Caution: Contents Under Pressure.

Potential Health Effects:

Inhalation:

Causes central nervous system effects, headaches, dizziness, drunkenness, irritation to

upper respiratory tract, unconsciousness and irregular heartbeats.

Eyes:

Irritation

Skin:

Irritation

Ingestion:

NA

Carcinogenicity:

OSHA: No

IARC:

No

NTP:

Chronic Overexposure:

Rapid heartbeats, depression of cardiac function.

Medical Conditions Aggravated by Exposure:

Risk to your health depends on the level and duration of

exposure.

Section 4: First Aid Measures

Inhalation:

Remove to fresh air. Give artificial respiration if necessary.

Eyes:

Flush with large amounts of water for 15 minutes.

Skin:

Remove contaminated clothing and wash area with soap and water.

Ingestion:

Call a physician. Do not induce vomiting.

# Section 5: Fire-Fighting Measures

Flashpoint:

None

1

1

Method:

TCC

LEL: ND

UEL. ND

Extinguishing Media:

Use appropriate media for surrounding products.

Hazardous Combustion Products: Fire-fighting Instructions:

Thermal - Hydrogen fluoride, carbon monoxide and carbon dioxide

Remove containers from fire area if possible. Use self-contained

breathing apparatus for fire fighting. Aerosol cans may explode if heated

above 120°F.

NFPA: HMIS:

Health: Health: Flammability:

Flammability.

Reactivity: Reactivity:

0

PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

#### Section 9: Physical & Chemical Properties

Physical State:

Liquid

Appearance & Odor:

Clear, colorless liquified gas

w/ faint ethereal odor.

Specific Gravity:

1.21 @ 77°F

Boiling Point:

-15.2 °F

Freezing Point:

-149.8°F

Vapor Pressure:

70.9 PSIG @ 70 °F

Evaporation Rate:

Rapid NA

Vapor Density (air = 1) Solubility:

3.52 Slight in water

pH: Volatile Organic Compounds:%:

ND

g/L: ND

lbs./gal:

ND

Section 10: Stability and Reactivity

Stability:

Stable

Hazardous Polymerization: No

Chemical Incompatibilities:

Strong oxidizers.

Materials to Avoid:

Strong oxidizers, strong alkalies.

Hazardous Decomposition Products:

None

#### Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

# Section 12: Ecological Information

Ecotoxicity:

No data available.

Environmental Fate:

No data available for biodegradation.

## Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

## Section 14: Transportation Information

Shipping Mame:

Consumer Commodity

Hazard Class:

ORM-D

UN Number: NA

Packing Group:

NA

Label:

NA

Plaçard:

NA

Special Provisions:

NA

#### Section 15: Regulatory Information

TSCA:

All components are either listed under TSCA or are exempt.

SARA Title III:

Section 311/312:

Acute, Pressure

Section 313\*:

None NA

CERCLA/Superfund (RQ):

No

Extremely Hazardous Substances: California Prop 65:

No

## \* See section 2 for percentage

## Section 16: Additional Information

Prepared Ey:

Michelle Rudnick

Date:

July 28, 2006

Technical Information:

(800) 521-3168

CRC#:

00282

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND;	Not Determined
TCC;	Tag Closed Cup	NE:	Not Established
LEL.	Lower Explosive Limit	g/L:	grams per Liter
UEL:	Upper Explosive Limit	lbs/gal:	pounds per gallon
PPE:	Personal Protection Equipment	RQ:	Reportable Quantity

COC:

Cleveland Closed Cup