MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174 $\,$

IDENTITY AND I	MANUFAC	TURER'S INFORMATIO	N			
NFPA Rating: Health-1; Flammability-3; Reactivity-0; Special-O HMIS Rating: Health-1; Flammability-3; Reactivity-0; Personal Protection						otection-B
Manufacturer's Name: AMREP, INC.		DOT Hazard Classification: ORM-D				
•		Identity (trade name as used on label):				
Marietta, GA 30062		MISTY ICE MELT				
Date Prepared: 08/19/94 Prepared By: ES		MSDS Number: 795 Revision-10				
Information Calls: (770)422-2071		NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA				
EMERGENCY RESPONSE NUMBER: 1(800)255-3924						
SECTION 1 - MATERIA	AI IDFNTIE	FICATION AND INFORM	IATION			
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES	TIE ID EITTII	CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		O/10 Humbon	III LIST	(ppm)	TLV (ppm)	Ref. Source **
ISOPROPYL ALCOHOL		67-63-0	No	500	400	d
ETHYLENE GLYCOL		107-21-1	Yes	50	50	d
ETHILD OF TOOL		107-21-1	169	50	50	и
SECTION 2 - PHYS	SICAL ICHE	MICAL CHAPACTERIST	IICG		l	
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS Boiling Point: N/A Specific Gravity (H20=1): Concentrate Only = 0.88						
		/apor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A				
		vaporation Rate (= 1): N/E Vater Reactive: No				
Solubility in Water: Soluble	ıv	vater Reactive: No				
Appearance and Odor: Clear liquid with alcohol odor.	E AND EV	21 0610N1 H 4 7 4 2 D D 4 1	٠,			
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
		o Ignition Temperature Flammability Limits in Air by % in Volume:				
FLAMMABLE		N/E				
FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.						
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperature			upture.			
	/ITY HAZARD DATA					
STABILITY [X] STABLE [] UNSTABLE	HAZARDOUS POLYMERIZA		WILL [X]WIL			
Incompatibility (Mat. to avoid): Oxidizing materials.	Conditions to Avoid: Open flame, welding arcs, extreme heat, sparks.					
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, small amounts of NO2 and NO.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.						
Eye Contact: Irritation Skin Contact: Irritation						
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.						
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause liver abnormalities, kidney damage, central nervous system						
damage.						
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.						
Skin Contact: Wash with soap and water. If irritated, seek medical attention.						
nhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.						
ngestion: Drink two large glasses of water, INDUCE VOMITING. Get immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.						
Protective Gloves: Neoprene if skin easily irritated. Eye Protection: Safety glasses recommended.						
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.						
Other Protective Clothing & Equipment: None						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT FLUSH TO						
SEWER.						
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressu	ure through	normal use, pose no disp	osal hazard.			
Precautions To Be Taken In Handling & Storage: Do not puncture or incinera	ite containe	rs. Do not store at temp	eratures abo	ve 130°F.		
Other Precautions & or Special Hazards: KEEP OUT OF PEACH OF CHILDREN Avoid food contamination. Remove ignition sources. Avoid inhalation of spray mist						